

**Series 4, free-standing dishwasher,  
60 cm, White  
SMS46NW10M**



SGZ1010	inlet and outlet hose extension
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5001	Baby care kit
SMZ5002	Silver polishing cassette
SMZ5300	GlassSecure Tray

**The ActiveWater 60 with 6 litres and A++:  
Especially good for the environment and  
your budget, thanks to minimal  
consumption.**

- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- **VarioFlex-baskets and VarioDrawer:** enhanced re-adjusting options with more space on all levels.
- **AquaStop:** 100% lifetime warranty for water damages guaranteed.
- **RackMatic®** offers 3 height levels, for 9 possible rack positions.

Maximum number of place settings (EU 2017/1369):	13
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	10.4 l
Water consumption:	10.4 l
Total annual energy consumption 220 days:	171 kWh
Total annual water consumption 220 days:	2288 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Height with worktop:	30 mm
Height of the appliance:	845 mm
Adjustable feet:	Yes - all
Maximum adjustability feet:	20 mm
Adjustable plinth:	No
Net weight:	51.5 kg
Gross weight:	52.8 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	GB plug
Length inlet hose:	165 cm
Length outlet hose:	190 cm
Hidden heating element:	Yes
Water protection system description:	Triple water protection 24h
Child safety devices:	Button suspension
Water softener:	Yes
Top basket type:	mid
Adjustable upper basket:	Rackmatic 3-stage
Bottom basket type:	mid
3rd Rack:	3rd Rack 1.1
Optional accessories:	SGZ1010, SMZ2014, SMZ5000, SMZ5001, SMZ5002, SMZ5300
Included accessories 2:	no
Number of place settings:	13
Color / Material panel:	White
Color / Material body:	White
Color / Material top:	White
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	875 x 675 x 660 mm



## **Series 4, free-standing dishwasher, 60 cm, White SMS46NW10M**

**The ActiveWater 60 with 6 litres and A++:  
Especially good for the environment and  
your budget, thanks to minimal  
consumption.**

---

### **Programmes**

- Capacity: 12+1 place settings place settings
- Energy consumption in programme Eco 50: 218 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.777 kWh
- Water consumption in programme Eco 50: 2912 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- The information relates to the programme Eco50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Noise level: 44 dB (re 1 pW)freestanding, can be built under
- Water Consumption : 7-18 l

### **General Specification**

- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash
- Machine Care

### **Features**

- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- Detergent Automation
- Heat exchanger.
- Alternating spray
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Remaining programme time indicator (min.)
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator

### **Safety**

- VarioFlex basket system
- RackMatic height-adjustable top basket (3 stage)

### **Baskets & Racks**


- AquaStop - Prevent Water Leakage
- Childproof control lock
- Servo-lock

### **Technical Information**

- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Series 4, free-standing dishwasher,  
60 cm, White  
SMS46NW10M**

measurements in mm



⏏ socket  
( ) values with extension kit