

Series 2, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIV87NSF0M



Included accessories

3 x egg tray
1 x ice cube tray

Optional accessories

GSZB6B00 : Box-in-Freezer-Box
KSZB6R00 : Bottle Rack
KSZGGM00 : Butter box

The bottom freezer with electronic temperature control and MultiBox: set the temperature easily and precisely.

- **Multi Box XXL:** extra-large drawer for your fruit and vegetables.
- **Eco Airflow:** optimal air circulation and a constant temperature level in the cooling area.
- **LED lighting:** Explore the bright side of fridge illumination with LEDs.
- **Big Box drawer:** for stacking storage containers or for large frozen food items.
- **Low Frost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.

Technical Data

Energy Efficiency Class: F
Average annual energy consumption in kilowatt hour per year (kWh/a): 270 kWh/annum
Sum of volume of frozen compartments: 70 l
Sum of volume of chill compartments: 200 l
Airborne acoustical noise emissions : 39 dB(A) re 1 pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: Built-in
Number of compressors: 1
Number of independent cooling systems: 1
Width of the appliance: 541 mm
Height: 1772 mm
Depth of the product: 548 mm
Net weight: 50.9 kg
Min. required niche size for installation (HxWxD): 1775.0 x 560 x 550 mm
Door panel options: Not possible
Door hinge: Right reversible
Number of Adjustable Shelves in fridge compartment: 4
Shelves for Bottles: No
Frost free system: No
Interior ventilator: No
Reversible Door Hinge: Yes
Length electrical supply cord: 230.0 cm
Noise level: 39 dB(A) re 1 pW
Multi-Flow Air Tower: No
Fast cooling switch: No
Fast freezing switch: Yes
Temperature Controlled Drawer: No
Humidity Control Drawer: No
Number of Door Bins - Refrigerator: 4
Door bin adjustability - Refrigerator: Yes
Tilt-out door bins in fridge: Yes
Gallon wide door bins: Yes
Number of Gallon storage: 1
Motorized Shelf: No
Material of the shelves: Safety glass
Door opened indicator freezer: No
Automatic motor-driven ice-maker: No
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50 Hz
Storage Period in Event of Power Failure (h): 12 h
Door panel options: Not possible
Noise level: 39 dB(A) re 1 pW
Energy Star Qualified: No
Plug type: GB plug
Required cutout/niche size for installation (in): x
Dimensions of the packed product: 72.45 x 24.01 x 25.19
Net weight: 112.000 lbs
Gross weight: 123.000 lbs

Series 2, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIV87NSF0M

The bottom freezer with electronic temperature control and MultiBox: set the temperature easily and precisely.

Dimensions

- Appliance Dimensions (H x W x D): 177.2 cm x 54.1 cm x 54.8 cm

Accessories

- Accessories: 3 x egg tray

General Information

- KIV87NSF0M
- Built-in-refrigerator 2-door, Bottom Fre
- Sliding hinge

Performance and consumption

- Energy Efficiency Class: A+ at a range of energy efficiency classes from A+++ to D
- Net Capacity: 268 l
- Noise level: 39 dB(A) re 1 pW

Design and Styling

- Easy clean interior

Convenience & Safety

- LED electronic control
- 1 compressor/1 cold circuit
- Automatic defrost in fridge section
- Manual defrost in freezer section

Fridge Compartment

- Fridge section net capacity: 199 litres
- 5 safety glass shelves, thereof 4 height adjustable, Standard
- 1 door bin(s) high
- Illumination: LED interior light

Freshness System

- 1 MultiBox - Transparent drawer with a corrugated bottom, ideal for storing fruits and vegetables.

Freezer





- Freezer Capacity: 69 l
- Freezing capacity: 3/24 h
- Storage time in power failure: 22 H h
- 2 transparent freezer drawers, incl.1 BigBox
- Ice cube tray

Technical Information

- Height adjustable front feet
- Door right hinged, reversible
- Climate Class: SN-T
- Nominal voltage: 220 - 240 V

Series 2, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIV87NSF0M

measurements in mm



The specified unit door dimensions are valid for a door gap of 4 mm.

measurements in mm