


Serie | 4, built-in oven, Stainless steel HBJ538ES0M


A


Included accessories

1 x enamel baking tray
1 x combination grid
1 x universal pan

The built-in oven with 3D hot air: achieve perfect baking and roasting results on up to three levels simultaneously.

- **3D Hotair:** perfect results thanks to optimal distribution of heat on up to 3 levels simultaneously.
- **LCD display control, white:** easy-to-use thanks to direct access to additional functions.
- **pop-out controls:** for an easy to clean front.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear wall that automatically absorbs grime.
- **GranitEnamel:** very easy to clean interior thanks to smooth surfaces and no sharp edges.
- **Flap door with SoftClose:** the oven door closes especially gently and quietly.
- **1-stage normal telescopic rails:** for safe, easy insertion and removal of baking trays.

Technical Data

Color / Material Front :	Stainless steel
Built-in / Free-standing :	Built-in
Integrated Cleaning system :	No
Required niche size for installation (HxWxD) :	575-597 x 560-568 x 550
Dimensions of the product (mm) :	595 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	660 x 685 x 645
Control Panel Material :	Stainless steel
Door Material :	Glass
Net weight (kg) :	32.526
Usable volume of cavity (l) :	66
Cooking method :	Bottom heat, Conventional heat, Defrost, Full width variable grill, Hot Air, Hotair gentle, Hot air grilling, Pizza setting
First cavity material :	Other
Number of interior lights :	1
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	100
Interior Lights - cavity 1 :	1
Pull-out system :	1-level
Clock function :	Alarm, Off, On
Included accessories cavity 1 :	1 x enamel baking tray, 1 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1 (W) :	2800
Energy efficiency class (2010/30/EC) :	A
Energy consumption per cycle conventional (2010/30/EC) :	0.98
Energy consumption per cycle forced air convection (2010/30/EC) :	0.79
Energy efficiency index (2010/30/EC) :	95.2
Electrical connection rating (W) :	3300
Current (A) :	16
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	fixed connection, no plug
Color / Material Front :	Stainless steel
Energy input :	Electric
Approval certificates :	CE, VDE
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	25.98 x 25.39 x 26.96
Net weight (lbs) :	72.000
Gross weight (lbs) :	76
Length electrical supply cord (cm) :	100
Net weight (kg) :	32.526
Gross weight (kg) :	35.0

Serie | 4, built-in oven, Stainless steel HBJ538ES0M

The built-in oven with 3D hot air: achieve perfect baking and roasting results on up to three levels simultaneously.

Dimensions:

- Appliance dimension (hwxwd): 595 mm x 594 mm x 548 mm
- Niche dimension (hwxwd): 560 mm - 568 mm x 575 mm - 597 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

Type of oven / heating system:

- Oven with 8 heating methods: Hot air, Top/bottom heat, hot air grilling, Pizza setting, Bottom heat, Defrost setting, Hotair gentle, Full width variable grill
- Temperature range 50 °C - 275 °C
- Cavity volume: 66 l

Hook-in racks / rails

-

Design:

- Rotary Control, Pop-out controls

Cleaning:

- Ecolyse features: back panel
- Full glass inner door

Comfort:

-

- Electronic clock
- bottom, soft closing
- Rapid heating-up
- Halogen interior lighting
- Integral cooling fan
- Bar handle

Accessory:

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan


Environment and Safety:

- Child lock
- Residual heat indicator

Technical Info:


- Length of mains cable: 100 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 66 l

Serie | 4, built-in oven, Stainless steel HBJ538ES0M




* 20 mm for metal fascias

measurements in mm



* 20 mm for metal fascias

measurements in mm



* 20 mm for metal fascias

Dimensions in mm