

## Series 4, free-standing dishwasher, 60 cm, silver inox SMS4HMI65M



SGZ1010	inlet and outlet hose extension
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5001	Baby care kit

## Flexible loading and smart remote control of your dishwasher via the Home Connect app.

- Remarkably quiet operation (44 dBA)
- Remote control allows you to control your dishwasher via Home Connect App wherever and whenever you want.
- Remote monitoring enables you to track your dishwasher via Home Connect app wherever and whenever you want.
- Tab Counter enables you to track your remaining dishwasher tablets and notifies when they run low.
- The right recommendation for the right job.

Maximum number of place settings (EU 2017/1369):	14
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	10.3 l
Cleaning performance:	A
Water consumption:	10.3 l
Total annual energy consumption 220 days:	166 kWh
Total annual water consumption 220 days:	2266 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Height with worktop:	30 mm
Height of the appliance:	845 mm
Adjustable feet:	Yes - all
Maximum adjustability feet:	20 mm
Adjustable plinth:	No
Net weight:	55.9 kg
Gross weight:	57.2 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	GB plug
Length inlet hose:	150 cm
Length outlet hose:	190 cm
Hidden heating element:	Yes
Water protection system description:	Triple water protection 24h
Child safety devices:	Button suspension
Water softener:	Yes
Top basket type:	mid
Adjustable upper basket:	Rackmatic 3-stage
Bottom basket type:	mid
3rd Rack:	3rd Rack 1.1
Optional accessories:	SGZ1010, SMZ2014, SMZ5000, SMZ5001
Included accessories 2:	no
Number of place settings:	14
Color / Material panel:	Stainless steel colour, lacqu.
Color / Material body:	Stainless steel, lacquered
Color / Material top:	Stainless steel colour, lacqu.
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	885 x 660 x 675 mm



## **Series 4, free-standing dishwasher, 60 cm, silver inox SMS4HMI65M**

### **Flexible loading and smart remote control of your dishwasher via the Home Connect app.**

---

#### **General Specification**

- Connectivity: Wi-Fi <sup>1</sup>
- Energy consumption in programme Eco 50: 212 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.755 kWh
- Capacity: 14 place settings
- Programme time in programme Eco 50: 295 min
- Noise level: 44 dB (re 1 pW)freestanding, can be built under
- Noise level (silence programme): not available(A) re 1 pW

#### **Programmes**

- 5 programs: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Quick L 65 °C, Quick S 45 °C
- Special Program: MyFavourite
- Silence on Demand (via app)

#### **Features**

- Heat exchanger.
- DosageAssist
- BLDC motor for heat and drain pump
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel

#### **Baskets & Racks**

- VarioFlex basket system
- RackMatic height-adjustable top basket (3 stage)
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket

#### **Safety**

- Home Connect enabled via WLAN
- English
- Electronic delay timer: 1-24 hours


#### **Technical Information**

- AquaStop - Prevent Water Leakage
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm
- Product dimensions -gross- (HxWxD): 88.5 x 66 x 67.5 cm
- Gross Weight: 57.2 kg

<sup>1</sup> The availability of the Home Connect functionality depends on the availability of the Home Connect Services in your country. Home Connect Services are not available in every country – for further information; please check: [www.home-connect.com](http://www.home-connect.com)

## Series 4, free-standing dishwasher, 60 cm, silver inox SMS4HMI65M

measurements in mm



socket

( ) values with extension kit