


**Series 8, built-in oven, 60 x 60 cm,
Black
HBG776NB1M**



2 x combination grid, 1 x universal pan, 1 x air fry & grill tray

HEZ327000 Pizza stone
HEZ629070 Air Fry & Grill tray

The built-in oven with Digital Control Ring and TFT-touchdisplay, Assist function for meals, Air Fry, PerfectBake Plus, PerfectRoast Plus, Home Connect for control via the App.

- **Digital Control Ring:** the simple and innovative way to select oven settings.
- **TFT Touch Display Plus:** easy control thanks to an innovative Digital Control Ring and enlarged TFT touchscreen.
- **Hotair Gentle:** saves energy while baking and roasting.
- **Crisp Function:** for an even crispier finish.
- **PerfectBake Plus:** regulates settings and tells you exactly when to remove dishes from the oven.

Gross weight: 42.2 kg
Built-in / Free-standing: Built-in
Integrated Cleaning system: Pyrolytic+Hydrolytic
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD): 670x670x680 mm
Control Panel Material: Glass
Door Material: Glass
Net weight: 39.6 kg
Usable volume of cavity: 71 l
Cooking method: 4D hot air, Defrost, , Full width grill, Hotair gentle, Half width grill, Conventional heat, Conventional heat gentle, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, pre-heating, warming
Length electrical supply cord: 120 cm
Pull-out system: . Level-independent clip rails - for safe insertion and removal of accessories on any level
Included accessories: 2 x combination grid, 1 x universal pan, 1 x air fry & grill tray
Broil Element Wattages cavity 1: 2800 W
Convection Element Wattages cavity 1: 2200 W
Energy efficiency rating: A+
Energy consumption per cycle conventional (2010/30/EC): 0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 69 kWh/cycle
Energy efficiency index (2010/30/EC): 81.2 %
Connection rating: 3600 W
Fuse protection: 16 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Plug type: no plug
Energy input: Electric
Required cutout/niche size for installation (in): x
Dimensions of the packed product: 26.37 x 26.37 x 26.77
Net weight: 87.000 lbs
Gross weight: 93.000 lbs



Series 8, built-in oven, 60 x 60 cm, Black HBG776NB1M

The built-in oven with Digital Control Ring and TFT-touchdisplay, Assist function for meals, Air Fry, PerfectBake Plus, PerfectRoast Plus, Home Connect for control via the App.

Type of oven / heating system:

- Oven with 14 heating methods: 4D hot air, Top/bottom heat, hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, low temperature cooking, Defrost setting, Plate warming setting, Hold warm, Hotair gentle, Conventional heat gentle, Air fry
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

Hook-in racks / rails

- Number of shelf levels: 5 PC

Design:

- Touch control
- Digital Control Ring
- Cavity inner surface: enamel anthracite

Cleaning:

- Pyrolytic self-cleaning
- hydrolyse program
- Full glass inner door

Comfort:

- Electronic clock
- autom. temperature proposal
- actual temperature display
- heating-up control
- meat probe
- Drop down door, soft closing, soft opening
- soft opening
- Supporting systems: Dish categories
- Rapid heating-up
- LED light, Switch for oven illumination
- Integral cooling fan
- WLAN

Accessory:

- 1 x air fry & grill tray, 2 x combination grid, 1 x universal pan

Environment and Safety:

- very low door temperature
- Low door temperature during pyrolytic cleaning
- 4 PC glazed CoolTouch door
- door lock electronical
- Child lock
- Safety switch
- Residual heat indicator
- start button
- door contact switch

Technical Info:

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode: 0.87 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.69 kWh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 71 l

Dimensions:

- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

