


## Series 6, gas hob, 90 cm, Stainless steel

### PCR9A5I90M



- **Easy cleaning:** detachable knobs and dishwasher-suitable pan supports make cleaning a breeze.
- **Safety gas cut-off:** ensures safety by instantly cutting off gas supply if the flame goes out.
- **Removable knobs:** effortless cleaning, happier cooking.

Product name/family: .....gas hob w integrated controls  
 Built-in / Free-standing: ..... Built-in  
 Energy input: .....Gas  
 Total number of positions that can be used at the same time: ..... 5  
 Required niche size for installation (HxWxD): 45 x 850-850 x 490-500 mm  
 Width of the appliance: .....915 mm  
 Dimensions: ..... 45x915x520 mm  
 Dimensions of the packed product (HxWxD): ..... 170x1110x660 mm  
 Net weight: ..... 15.5 kg  
 Gross weight: ..... 18.0 kg  
 Residual heat indicator: ..... without  
 Location of control panel: ..... Front  
 Basic surface material: ..... Stainless steel  
 Color of surface: ..... Stainless steel  
 Length electrical supply cord: ..... 100 cm  
 Knob Material: .....Full metal  
 Sealed Burners: .....No  
 Type of pan support: ..... Elongated cast iron pan support  
 Power of heating element (kW): ..... 1000 W  
 Power of 3rd heating element (kW): ..... 1750.00 W  
 Power of 5th heating element (kW): ..... 3000 W  
 Connection rating: ..... 1 W  
 Gas connection rating: ..... 12500 W  
 Fuse protection: .....3 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Energy input: .....Gas  
 Gas type preset: ..... Liquidgas G30,31 28-30/37 mbar  
 Certified gas types: .....Nat gas H/E/(L) 20 (25) mbar  
 Plug type: .....no plug  
 Appliance Dimensions (h x w x d) (in): ..... x x  
 Dimensions of the packed product: ..... 6.69 x 25.98 x 43.70  
 Net weight: .....34.000 lbs  
 Gross weight: ..... 40.000 lbs  
 Total number of positions that can be used at the same time: ..... 5  
 Length electrical supply cord: ..... 100 cm  
 Required niche size for installation (HxWxD): 45 x 850-850 x 490-500 mm  
 Dimensions: ..... 45x915x520 mm  
 Dimensions of the packed product (HxWxD): ..... 170x1110x660 mm  
 Net weight: ..... 15.5 kg  
 Gross weight: ..... 18.0 kg



4 242005 496105

## Series 6, gas hob, 90 cm, Stainless steel PCR9A5I90M

---

### Design

- Stainless steel surface
- Cast iron pan supports
- Full metal knob

### Usage convenience

- sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- One-hand ignition via control knob: just push and turn the knob to ignite the flame.

### Burners and power

- 5 PC
- Left front: Economy burner up to 1 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Center front: WOK burner up to 4.6 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

### Cleaning

- detachables for easy cleaning between knobs.
- yes for easy cleaning.

### Safety


- Full flame safety: prevents unwanted gas flow when flame goes out.

### Installation (gas types & measurements)

- Preset of liquid gas (28-30/37mbar)
- Nozzle set for Natural gas nozzles (20 mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 51.5 x 915 x 520
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 500)
- Min. worktop thickness: 20 mm
- Connected load: 12.5 KW

## Series 6, gas hob, 90 cm, Stainless steel PCR9A5I90M

Measurements in mm



**A:** Min. distance from the hob cut-out to the wall

**B:** Position of gas connection in the cut-out

**C:** With fitted oven underneath possibly more; see space requirements for the oven

For worktop thickness between 12 mm to 20 mm need additional spacer, contact customer service for details